

Core Area Sq. Feet	Nominal Duct Size in Inches	Core Velocity	100	200	300	400	500	600	700	800	900	1000
		Velocity Pressure	0.001	0.002	0.006	0.01	0.016	0.022	0.031	0.04	0.051	0.062
		TP: Total Pressure	0.003	0.014	0.031	0.056	0.09	0.131	0.175	0.225	0.29	0.355
0.2	10x4 6x6	CFM	19	38	57	76	95	114	133	152	171	190
		NC				17	23	29	33	36	39	42
		4-Way, 45° Fixed			4-6-9	5-8-13	6-9-15	8-11-18	9-13-21	10-14-20	11-16-23	12-17-25
		2-Way, 45° Fixed			5-7-11	6-9-15	8-11-18	9-14-22	10-15-21	12-17-25	13-20-32	15-22-35
0.26	12x4 8x6	CFM	24	48	76	100	124	147	171	200	223	247
		NC			11	18	24	30	34	37	40	43
		4-Way, 45° Fixed		3-4-7	4-5-6	6-9-14	7-10-16	8-12-20	10-13-19	11-15-22	12-17-25	13-20-32
		2-Way, 45° Fixed		3-5-8	5-6-8	7-9-12	8-12-20	10-14-20	11-16-23	13-19-31	14-21-34	16-24-38
0.3	14x4	CFM	29	57	86	114	143	171	200	228	257	285
		NC			11	19	24	30	34	38	41	45
		4-Way, 45° Fixed		3-4-7	4-5-6	6-8-10	7-10-13	9-12-17	10-14-20	11-16-23	12-18-26	14-21-33
		2-Way, 45° Fixed		3-5-8	5-7-9	7-10-13	9-12-17	10-14-20	12-17-24	13-20-32	16-24-38/	16-24-39
0.35	16x4 12x5 10x6 8x8	CFM	33	67	100	133	166	200	233	266	299	333
		NC			12	19	25	31	35	39	41	45
		4-Way, 45° Fixed		3-4-7	5-7-11	6-9-15	8-11-18	9-13-21	10-15-21	12-17-24	13-19-31	14-21-34
		2-Way, 45° Fixed		4-6-9	5-8-13	7-10-13	9-13-21	10-15-21	12-17-25	14-21-33	15-23-37	17-26-41
0.4	18x4 12x6	CFM	38	76	114	152	190	228	266	304	342	380
		NC			13	20	27	32	36	39	42	46
		4-Way, 45° Fixed		3-5-8	5-6-7	6-8-11	8-11-15	9-13-18	11-15-22	12-17-25	13-20-32	15-22-35
		2-Way, 45° Fixed		4-6-9	6-8-10	8-10-14	9-13-18	11-15-22	12-18-26	14-21-34	16-24-38	18-26-42
0.45	20x4 14x6 10x8	CFM	43	86	128	171	214	257	299	342	385	428
		NC			13	20	28	32	36	40	43	47
		4-Way, 45° Fixed		3-5-8	5-6-8	6-9-15	8-12-19	10-13-19	11-15-22	12-18-26	14-21-33	15-23-37
		2-Way, 45° Fixed		4-6-9	6-8-10	8-12-19	10-13-19	11-16-23	13-19-31	15-22-35	16-24-39	18-27-44
0.55	24x4 16x6 12x8	CFM	52	105	157	209	261	314	366	418	470	523
		NC			14	21	28	33	37	41	43	47
		4-Way, 45° Fixed	2-3-4	3-5-8	5-7-12	7-10-16	8-12-20	10-14-20	12-17-24	13-19-31	15-22-35	16-24-39
		2-Way, 45° Fixed	2-3-5	6-6-10	6-9-15	8-12-20	10-14-20	12-17-25	14-21-33	15-23-37	17-26-41	19-29-46
0.62	18x6 10x10	CFM	57	119	176	238	295	352	413	470	532	589
		NC			14	22	29	34	38	41	45	48
		4-Way, 45° Fixed	2-3-4	4-6-9	5-8-13	7-11-17	9-13-21	10-15-21	12-17-24	13-20-32	15-22-36	17-25-40
		2-Way, 45° Fixed	2-3-5	4-6-10	6-9-15	8-12-20	10-16-25	12-17-25	14-21-34	16-24-38	18-27-43	20-29-47
0.7	30x4 20x6 14x8 12x10	CFM	67	133	200	266	333	399	466	532	599	665
		NC	0	0	15	22	29	34	38	42	45	48
		4-Way, 45° Fixed	2-3-5	4-6-9	5-8-13	7-11-17	9-13-21	10-15-21	12-17-25	14-21-33	15-23-37	17-26-41
		2-Way, 45° Fixed	2-4-6	5-7-11	7-10-16	9-13-20	10-15-21	12-18-26	15-22-35	17-25-40	18-27-44	20-31-49
0.81	36x4 24x6 16x8 14x10	CFM	76	152	233	309	385	461	537	618	694	770
		NC			16	23	30	35	39	42	46	49
		4-Way, 45° Fixed	2-3-5	4-6-9	6-9-14	8-11-18	9-14-22	11-15-22	12-18-26	14-21-34	16-24-38	18-27-43
		2-Way, 45° Fixed	2-4-6	5-7-11	7-10-16	9-14-22	11-15-22	13-19-31	15-22-36	17-26-41	19-29-46	21-32-51
0.87	18x8 12x12	CFM	81	166	247	333	413	494	580	660	746	827
		NC			16	23	30	35	39	42	46	49
		4-Way, 45° Fixed	2-3-5	4-6-9	6-9-14	8-12-19	10-13-19	11-16-23	13-19-31	15-22-35	16-24-39	18-27-43
		2-Way, 45° Fixed	2-4-6	5-7-11	7-11-17	9-14-22	11-16-23	13-20-32	15-23-37	18-26-42	20-39-47	22-32-52

Core Area Sq. Feet	Nominal Duct Size in Inches	Core Velocity	100	200	300	400	500	600	700	800	900	1000
		Velocity Pressure	0.001	0.002	0.006	0.01	0.016	0.022	0.031	0.04	0.051	0.062
		TP: Total Pressure	0.003	0.014	0.031	0.056	0.09	0.131	0.175	0.225	0.29	0.355
1.02	30x6 20x8 16x10 14x12	CFM	95	195	290	390	485	580	679	774	874	969
		NC			17	24	31	36	40	43	47	50
		4-Way, 45° Fixed	2-3-5	4-6-10	6-9-15	8-12-19	10-14-20	12-17-24	13-20-32	15-22-36	17-26-41	19-28-45
		2-Way, 45° Fixed	2-4-6	5-7-12	7-11-17	10-13-19	12-17-24	14-21-33	16-24-29	18-27-43	20-31-49	23-34-55
		1-Way, Straight	3-4-7	6-9-14	9-13-21	11-17-27	14-21-34	17-25-40	19-29-46	22-32-52	25-37-59	27-41-65
1.15	24x8 18x10 16x12	CFM	109	219	328	437	546	656	765	874	988	1093
		NC			17	25	32	36	40	45	48	51
		4-Way, 45° Fixed	2-3-5	4-6-10	6-9-15	8-12-20	10-15-21	12-17-25	14-21-33	16-24-38	18-26-42	19-29-46
		2-Way, 45° Fixed	2-4-6	5-7-12	8-11-18	10-13-19	12-17-25	14-21-34	17-25-40	19-28-45	21-31-50	23-35-56
		1-Way, Straight	3-5-8	6-9-15	9-14-22	12-17-24	15-22-35	17-26-41	20-29-47	22-34-54	25-37-60	28-42-68
1.25	36x6 20x10 14x14	CFM	119	238	356	475	594	713	831	950	1064	1188
		NC			17	25	32	37	41	45	48	51
		4-Way, 45° Fixed	2-3-5	4-5-6	6-8-11	8-12-20	10-15-21	12-17-25	14-21-34	16-24-38	18-27-43	20-29-47
		2-Way, 45° Fixed	2-4-6	5-6-8	8-10-14	10-14-20	12-18-26	15-22-35	17-26-41	19-29-46	21-32-51	24-26-57
		1-Way, Straight	3-5-8	6-8-11	9-13-18	12-17-25	15-22-35	18-26-42	20-30-48	23-34-55	26-39-62	29-43-69
1.35	16x14 18x12	CFM	128	257	385	513	641	770	898	1026	1159	1283
		NC			18	25	32	37	41	45	48	51
		4-Way, 45° Fixed	2-4-6	4-5-6	7-10-16	9-13-21	10-15-21	12-18-26	15-22-35	16-24-39	18-27-43	20-30-48
		2-Way, 45° Fixed	3-4-7	5-7-9	8-12-19	10-15-21	12-18-26	15-22-36	18-26-42	20-29-47	22-33-53	25-37-59
		1-Way, Straight	3-5-8	6-8-11	10-13-19	12-17-25	15-22-36	18-27-43	21-31-50	23-35-56	26-39-63	29-44-70
1.53	30x8 24x10 20x12 18x14 16x16	CFM	147	290	437	580	727	874	1017	1159	1311	1454
		NC			18	27	33	38	42	46	49	52
		4-Way, 45° Fixed	2-4-6	5-6-7	7-10-16	9-13-21	11-15-22	13-19-31	15-22-36	17-25-40	19-28-45	21-31-50
		2-Way, 45° Fixed	3-4-7	5-7-9	8-12-19	10-15-21	13-20-32	15-23-37	18-27-43	20-30-48	23-34-55	25-37-60
		1-Way, Straight	3-5-8	7-9-12	10-13-19	12-18-26	15-23-37	18-27-44	21-32-51	24-26-58	27-41-65	30-46-73
1.82	36x8 30x10 24x12 20x14 18x16	CFM	173	347	518	694	865	1036	1207	1387	1558	1729
		NC			19	28	34	38	42	47	50	53
		4-Way, 45° Fixed	2-4-6	5-6-7	7-11-17	9-14-22	11-16-23	13-20-32	15-23-37	18-26-42	20-29-47	22-33-53
		2-Way, 45° Fixed	3-4-7	6-8-10	8-12-20	11-16-23	14-21-33	16-24-29	19-28-45	21-31-50	24-36-57	26-39-63
		1-Way, Straight	3-5-8	7-9-12	10-14-20	13-20-32	16-24-39	19-29-46	22-34-54	25-37-60	29-42-68	32-48-76
2.1	24x14 30x16 18x18	CFM	200	399	599	798	998	1197	1397	1596	1796	1995
		NC	0	0	20	28	34	39	43	47	50	53
		4-Way, 45° Fixed	2-4-6	5-6-8	8-11-18	10-13-19	12-17-24	14-21-34	16-24-39	18-27-44	20-31-49	23-34-55
		2-Way, 45° Fixed	3-4-7	6-8-10	9-13-21	12-17-24	14-21-34	17-25-40	19-29-46	22-32-52	25-37-59	28-41-66
		1-Way, Straight	4-6-9	7-10-13	10-15-21	14-21-33	17-25-40	20-30-48	23-34-55	26-39-62	29-44-70	33-50-80
2.35	36x10 30x12 24x16 20x18	CFM	223	447	670	893	1121	1340	1558	1786	2014	2233
		NC			20	29	35	39	43	48	51	54
		4-Way, 45° Fixed	2-4-6	5-6-8	8-11-18	10-14-20	12-17-25	15-22-35	17-25-40	19-28-45	21-31-50	24-36-57
		2-Way, 45° Fixed	3-5-8	6-8-11	9-14-22	12-17-24	15-22-35	18-26-42	20-30-48	22-34-54	25-38-61	28-42-68
		1-Way, Straight	4-6-9	7-10-13	11-15-22	14-21-33	18-26-42	20-31-49	24-36-57	27-40-64	30-45-72	34-51-82
2.68	36x12 30x14 24x18 20x20	CFM	257	508	765	1017	1273	1530	1786	2033	2290	2546
		NC			21	29	35	40	45	48	51	54
		4-Way, 45° Fixed	3-4-7	5-7-9	8-12-19	10-15-21	12-18-26	15-22-36	18-26-42	20-29-47	22-32-52	25-37-59
		2-Way, 45° Fixed	3-5-8	6-8-11	9-14-22	12-17-25	15-22-36	20-30-48	20-31-49	23-35-56	26-39-62	29-44-70
		1-Way, Straight	4-6-9	8-10-14	11-16-23	15-22-35	18-27-43	21-32-51	25-37-59	28-41-66	31-47-75	35-53-85
3.15	36x16 30x18 24x24	CFM	299	599	898	1197	1501	1796	2090	2394	2698	2993
		NC		11	21	30	36	41	46	49	52	55
		4-Way, 45° Fixed	3-4-7	5-7-9	8-12-19	11-15-22	13-19-31	15-23-37	18-27-43	20-31-49	23-34-55	26-39-62
		2-Way, 45° Fixed	3-5-8	7-9-12	10-14-20	12-18-26	16-24-38	19-28-45	21-32-51	24-36-58	27-41-65	30-46-73
		1-Way, Straight	4-5-6	8-11-15	12-17-24	15-22-36	19-28-45	22-3-53	26-39-62	29-43-69	33-49-79	37-56-89
3.65	36x18 30x20	CFM	347	694	1045	1387	1729	2081	2432	2774	3116	3468
		NC		12	22	31	37	41	46	50	53	56
		4-Way, 45° Fixed	3-4-7	5-7-9	8-12-19	11-15-22	13-19-31	15-23-37	18-27-43	21-31-50	24-36-57	27-40-64
		2-Way, 45° Fixed	3-5-8	7-9-12	10-14-20	12-18-26	16-24-38	19-28-45	21-32-51	25-37-60	28-42-68	32-48-76
		1-Way, Straight	4-5-6	8-11-15	12-17-24	15-22-36	19-28-45	22-33-53	26-39-62	30-45-72	34-51-83	38-57-92

CFM: Cubic Feet per Minute

*All pressures are in inches of water.

Page #2 of 2

FPM: Feet per Minute

* Blank areas denote NC values less than 10 and CFM values less than 50.

TP: Total Pressure, inches w.g.

*Throw values are measured in feet for terminal velocities of 150/100/50 FPM.

T: Throw in feet

*Throw values are based on fixed louvers set at 45 degrees.

NC: Noise Criteria

* Throw may be increased or decreased by as much as 20% by changing angle of louver.